



FLORES[®]

High Quality Tools

INSTALATII SANITARE FITINGURI DIN PHD



Com. Afumati, Sos. Bucuresti - Urziceni
Tel/Fax: 021 / 241.53.25 Tel: 0731 352 448
Tel/Mob: 0731 352 439 Tel: 0731 352 450


www.floresgrup.ro
E-mail: office@floresgrup.ro





Teava pentru apa PHD

Cod	Caracteristici	Buc./Bax
FI-56 080	20MM-200M./ROLA	1
FI-56 081	25MM-200M./ROLA	1
FI-56 082	32MM-100M./ROLA	1



Mufa redusa pentru apa (PHD) (PIULITA+PIULITA)

Cod	Caracteristici	Buc./Bax
FI-56 041	(25MMx20MM)	160
FI-56 042	(32MMx20MM)	100
FI-56 043	(32MMx25MM)	100
FI-56 044	(40MMx25MM)	60
FI-56 045	(40MMx32MM)	100
FI-56 046	(50MMx32MM)	48
FI-56 047	(50MMx40MM)	48



Mufa pentru apa (PHD) FI

Cod	Caracteristici	Buc./Bax
FI-56 053	20MMx1/2(PIULITA+FI)	600
FI-56 612	25MMx1"(PIULITA+FI)	270
FI-56 054	25MMx1/2(PIULITA+FI)	406
FI-56 055	25MMx3/4(PIULITA+FI)	406
FI-56 057	32MMx1"(PIULITA+FI)	252
FI-56 056	32MMx3/4(PIULITA+FI)	252
FI-56 058	40MMx1"1/4(PIULITA+FI)	150
FI-56 059	50MMx1"1/2(PIULITA+FI)	100



Mufa pentru apa (PHD) Fe

Cod	Caracteristici	Buc./Bax
FI-56 062	20MMx1"(PIULITA+FE)	600
FI-56 060	20MMx1/2(PIULITA+FE)	720
FI-56 061	20MMx3/4(PIULITA+FE)	600
FI-56 065	25MMx1"(PIULITA+FE)	441
FI-56 063	25MMx1/2(PIULITA+FE)	504
FI-56 064	25MMx3/4(PIULITA+FE)	504
FI-56 068	32MMx1"(PIULITA+FE)	300
FI-56 070	32MMx1"1/2(PIULITA+FE)	280
FI-56 069	32MMx1"1/4(PIULITA+FE)	280
FI-56 066	32MMx1/2(PIULITA+FE)	300
FI-56 067	32MMx3/4(PIULITA+FE)	300
FI-56 071	40MMx1"(PIULITA+FE)	150
FI-56 073	40MMx1"1/2(PIULITA+FE)	130
FI-56 072	40MMx1"1/4(PIULITA+FE)	150
FI-56 074	40MMx2"(PIULITA+FE)	130
FI-56 076	50MMx1"(PIULITA+FE)	120
FI-56 078	50MMx1"1/2(PIULITA+FE)	100
FI-56 077	50MMx1"1/4(PIULITA+FE)	65
FI-56 079	50MMx2"(PIULITA+FE)	80
FI-56 075	50MMx3/4(PIULITA+FE)	120



Mufa pentru apa (PHD) (PIULITA+PIULITA)

Cod	Caracteristici	Buc./Bax
FI-56 048	20MM (PIULITA+PIULITA)	240
FI-56 049	25MM (PIULITA+PIULITA)	140
FI-56 050	32MM (PIULITA+PIULITA)	80
FI-56 051	40MM (PIULITA+PIULITA)	60
FI-56 052	50MM (PIULITA+PIULITA)	48



Teu pentru apa (PHD) (PIULITA+FI)

Cod	Caracteristici	Buc./Bax
FI-56 022	DE 20MMx1/2 (PIULITA+FI)	100
FI-56 023	DE 25MMx1/2 (PIULITA+FI)	168
FI-56 024	DE 25MMx3/4 (PIULITA+FI)	100
FI-56 026	DE 32MMx1" (PIULITA+FI)	60
FI-56 025	DE 32MMx3/4 (PIULITA+FI)	105
FI-56 027	DE 40MMx1"1/4 (PIULITA+FI)	50
FI-56 028	DE 50MMx1"1/2 (PIULITA+FI)	40
FI-56 318	DE 50MMx1"1/4 (PIULITA+FI)	40



Teu pentru apa (PHD) (PIULITA+FE)

Cod	Caracteristici	Buc./Bax
FI-56 010	DE 20MMx1/2 (PIULITA+FE)	252
FI-56 011	DE 20MMx3/4 (PIULITA+FE)	160
FI-56 014	DE 25MMx1" (PIULITA+FE)	168
FI-56 012	DE 25MMx1/2 (PIULITA+FE)	168
FI-56 013	DE 25MMx3/4 (PIULITA+FE)	100
FI-56 017	DE 32MMx1" (PIULITA+FE)	70
FI-56 015	DE 32MMx1/2 (PIULITA+FE)	65
FI-56 016	DE 32MMx3/4 (PIULITA+FE)	65
FI-56 018	DE 40MMx1" (PIULITA+FE)	40
FI-56 019	DE 40MMx1"1/4 (PIULITA+FE)	80
FI-56 021	DE 50MMx1"1/2 (PIULITA+FE)	40
FI-56 020	DE 50MMx1"1/4 (PIULITA+FE)	40



Teu redus pentru apa (PHD) (P+P+P)

Cod	Caracteristici	Buc./Bax
FI-56 034	(25MMx20MMx25MM)	147
FI-56 035	(32MMx25MMx32MM)	80
FI-56 036	(40MMx25MMx40MM)	33
FI-56 037	(40MMx32MMx40MM)	33
FI-56 038	(50MMx25MMx50MM)	25
FI-56 039	(50MMx32MMx50MM)	25
FI-56 040	(50MMx40MMx50MM)	25



Teu pentru apa (PHD)

Cod	Caracteristici	Buc./Bax
FI-56 029	DE 20MM (PIULITA+PIULITA+PIULITA)	120
FI-56 030	DE 25MM (PIULITA+PIULITA+PIULITA)	80
FI-56 031	DE 32MM (PIULITA+PIULITA+PIULITA)	54
FI-56 032	DE 40MM (PIULITA+PIULITA+PIULITA)	30
FI-56 033	DE 50MM (PIULITA+PIULITA+PIULITA)	24



PEXAL



PPR



PHD



BRONZ





PEXAL



PPR



PHD



BRONZ



Cot pentru apa (PHD) (PIULITA+PIULITA)

Cod	Caracteristici	Buc./Bax
FI-56 000	20MM (PIULITA+PIULITA)	200
FI-56 001	25MM (PIULITA+PIULITA)	192
FI-56 002	32MM (PIULITA+PIULITA)	120
FI-56 003	40MM (PIULITA+PIULITA)	45
FI-56 004	50MM (PIULITA+PIULITA)	32




Cot pentru apa (PHD) (PIULITA+FI)

Cod	Caracteristici	Buc./Bax
FI-55 993	20MMx1/2 (PIULITA+FI)	280
FI-56 562	25MMx1/2 (PIULITA+FI)	120
FI-55 994	25MMx1/2 (PIULITA+FI)	180
FI-55 995	25MMx3/4 (PIULITA+FI)	180
FI-55 997	32MMx1" (PIULITA+FI)	80
FI-55 996	32MMx3/4 (PIULITA+FI)	200
FI-55 998	40MMx1"1/4 (PIULITA+FI)	96
FI-55 999	50MMx1"1/2 (PIULITA+FI)	72



Cot pentru apa (PHD) (PIULITA+FE)

Cod	Caracteristici	Buc./Bax
FI-55 982	20MMx1/2 (PIULITA+FE)	420
FI-55 983	20MMx3/4 (PIULITA+FE)	408
FI-55 986	25MMx1" (PIULITA+FE)	320
FI-55 984	25MMx1/2 (PIULITA+FE)	180
FI-55 985	25MMx3/4 (PIULITA+FE)	200
FI-55 989	32MMx1" (PIULITA+FE)	200
FI-55 987	32MMx1/2 (PIULITA+FE)	220
FI-55 988	32MMx3/4 (PIULITA+FE)	220
FI-55 990	40MMx1"1/4 (PIULITA+FE)	96
FI-55 992	50MMx1"1/2 (PIULITA+FE)	75
FI-55 991	50MMx1"1/4 (PIULITA+FE)	75



Dop pentru apa (PHD)

Cod	Caracteristici	Buc./Bax
FI-56 005	20MM	400
FI-56 006	25MM	320
FI-56 007	32MM	270
FI-56 008	40MM	120
FI-56 009	50MM	70



Robinet trecere pentru (PHD) cu holender

Cod	Caracteristici	Buc./Bax
FI-56 939	(20MMx20MM)	
FI-56 940	(25MMx25MM)	
FI-56 941	(32MMx32MM)	
FI-56 942	(40MMx40MM)	
FI-56 943	(50MMx50MM)	