



# FLORES®

High Quality Tools

## INSTALATII SANITARE RACORDURI

- RACORD**
- APA PENTRU BATERIE**
- APA METALIC**
- GAZ IZOLAT**
- GAZ EXTENSIBIL**



Com. Afumati, Sos. Bucuresti - Urziceni  
Tel/Fax: 021 / 241.53.25 Tel: 0731 352 448  
Tel/Mob: 0731 352 439 Tel: 0731 352 450

[www.floresgrup.ro](http://www.floresgrup.ro)  
E-mail: [office@floresgrup.ro](mailto:office@floresgrup.ro)




ACCESORII SANITARE, REZISTENTE

ARZATOARE


HIIDROFOR

RACORDURI




**Racord apa pentru baterie izolat (BOSSINI)**

Cod	Caracteristici	Buc./Bax
FI-56 841	1/2-40CM (FI)	200
FI-56 842	1/2-50CM (FI)	200
FI-56 843	1/2-60CM (FI)	200



**Racord apa pentru baterie izolat (BOSSINI)**

Cod	Caracteristici	Buc./Bax
FI-56 844	1/2-40CM (FE)	200
FI-56 845	1/2-50CM (FE)	200
FI-56 846	1/2-60CM (FE)	200



**Racord apa pentru baterie izolat (BOSSINI)**

Cod	Caracteristici	Buc./Bax
FI-56 847	3/8-40CM (FI)	200
FI-56 848	3/8-50CM (FI)	200
FI-56 849	3/8-60CM (FI)	200



**Racord apa pentru baterie izolat**

Cod	Caracteristici	Buc./Bax
FI-55 081	3/8-40CM (FI)	200
FI-55 082	3/8-50CM (FI)	200
FI-55 083	3/8-60CM (FI)	200



**Racord apa pentru baterie izolat**

Cod	Caracteristici	Buc./Bax
FI-55 078	1/2-40CM (FI)	200
FI-55 079	1/2-50CM (FI)	200
FI-55 080	1/2-60CM (FI)	200



**Racord apa pentru baterie izolat**

Cod	Caracteristici	Buc./Bax
FI-56 305	1/2-40CM (FE)	200
FI-56 306	1/2-50CM (FE)	200
FI-56 307	1/2-60CM (FE)	200



**Racord apa pentru baterie**

Cod	Caracteristici	Buc./Bax
FI-55 103	1/2-40CM (FI)	200
FI-55 104	1/2-50CM (FI)	200
FI-55 105	1/2-60CM (FI)	200




**Racord apa pentru baterie**

Cod	Caracteristici	Buc./Bax
FI-56 302	1/2-40CM (FE)	200
FI-56 303	1/2-50CM (FE)	200
FI-56 304	1/2-60CM (FE)	200




**Racord apa pentru baterie**

Cod	Caracteristici	Buc./Bax
FI-55 106	3/8-40CM (FI)	200
FI-55 107	3/8-50CM (FI)	200
FI-55 108	3/8-60CM (FI)	200




**Racord apa pentru baterie din inox**

Cod	Caracteristici	Buc./Bax
FI-56 714	1/2-40CM (FE)	200
FI-56 715	1/2-50CM (FE)	200
FI-56 716	1/2-60CM (FE)	200



**Racord apa pentru baterie din inox**

Cod	Caracteristici	Buc./Bax
FI-56 711	1/2-40CM (FI)	200
FI-56 712	1/2-50CM (FI)	200
FI-56 713	1/2-60CM (FI)	200




**Racord apa pentru baterie din inox**

Cod	Caracteristici	Buc./Bax
FI-56 717	3/8-40CM (FI)	200
FI-56 718	3/8-50CM (FI)	200
FI-56 719	3/8-60CM (FI)	200



**Racord metalic pentru apa (Niplu+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 158	30CM	200
FI-55 159	40CM	200
FI-55 160	50CM	200
FI-55 161	60CM	200
FI-56 296	80CM	100
FI-55 162	90CM	100
FI-56 295	100CM	100
FI-55 163	120CM	100
FI-55 164	150CM	100
FI-55 165	200CM	100



**Racord metalic pentru apa (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 150	30CM	200
FI-55 151	40CM	200
FI-55 152	50CM	200
FI-55 153	60CM	200
FI-56 298	80CM	100
FI-55 154	90CM	100
FI-56 297	100CM	100
FI-55 155	120CM	100
FI-55 156	150CM	100
FI-55 157	200CM	100



**Racord apa metalic pentru baterie**

Cod	Caracteristici	Buc./Bax
FI-55 076	1/2-50CM-(FI)	400
FI-55 077	1/2-60CM-(FI)	400
FI-55 075	1/2-45CM-(FI)	400



**Racord apa metalic pentru baterie**

Cod	Caracteristici	Buc./Bax
FI-55 072	3/8-45CM-(FI)	400
FI-55 073	3/8-50CM-(FI)	400
FI-55 074	3/8-60CM-(FI)	400



**Racord pentru apa de 1/2-1/2 (Niplu+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 124	30CM	200
FI-55 125	40CM	200
FI-55 126	50CM	200
FI-55 127	60CM	200




**Racord pentru apa de 1/2-1/2 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 113	30CM	400
FI-55 114	40CM	400
FI-55 115	50CM	400
FI-55 116	60CM	200
FI-55 117	80CM	200
FI-55 118	100CM	200



**Racord pentru apa de 1/2-3/8 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 120	30CM	200
FI-55 121	40CM	200
FI-55 122	50CM	200
FI-55 123	60CM	200




**Racord pentru apa de 3/8-3/8 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 109	30CM	200
FI-55 111	50CM	200
FI-55 112	60CM	200




**Racord pentru apa din inox de 1/2-1/2 (Piulita+Niplu)**

Cod	Caracteristici	Buc./Bax
FI-56 727	30CM	200
FI-56 728	40CM	200
FI-56 729	50CM	200
FI-56 730	60CM	200
FI-56 731	80CM	100



**Racord pentru apa din inox de 1/2-1/2 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-56 720	30CM	200
FI-56 721	40CM	200
FI-56 722	50CM	200
FI-56 723	60CM	200
FI-56 724	80CM	100
FI-56 725	100CM	100
FI-56 726	120CM	100




**Racord flexibil cu cot pentru hidrofor**

Cod	Caracteristici	Buc./Bax
FI-55 128	50CM	50
FI-55 129	60CM	50
FI-55 130	80CM	50




**Racord flexibil pentru hidrofor**

Cod	Caracteristici	Buc./Bax
FI-55 131	50CM	50
FI-55 132	60CM	50
FI-55 133	80CM	50



**Racord pentru apa din inox de 1/2-3/8 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-56 736	30CM	200
FI-56 737	40CM	200
FI-56 738	50CM	200
FI-56 739	60CM	200



**Racord pentru apa din inox de 3/8-3/8 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-56 732	30CM	200
FI-56 733	40CM	200
FI-56 734	50CM	200
FI-56 735	60CM	200



**Racord pentru apa izolat de 1/2-1/2 (Piulita+Niplu)**

Cod	Caracteristici	Buc./Bax
FI-55 099	30CM	200
FI-55 100	40CM	200
FI-55 101	50CM	200
FI-55 102	60CM	200



**Racord pentru apa izolat de 1/2-3/8 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 084	30CM	200
FI-55 085	40CM	200
FI-55 086	50CM	200
FI-55 087	60CM	200




**Racord pentru apa izolat de 3/8-3/8 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 088	30CM	200
FI-55 089	40CM	200
FI-55 090	50CM	200
FI-55 091	60CM	200



**Racord gaz metallic (Piulita+Piulita) de 1/2**

Cod	Caracteristici	Buc./Bax
FI-55 134	de 1/2-30CM	30
FI-55 135	de 1/2-40CM	30
FI-55 136	de 1/2-50CM	30
FI-55 137	de 1/2-60CM	30
FI-55 138	de 1/2-90CM	30
FI-55 139	de 1/2-120CM	30
FI-55 140	de 1/2-150CM	30
FI-55 141	de 1/2-200CM	30



**Racord gaz metallic izolat (Niplu+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 174	de 1/2-30CM	30
FI-55 175	de 1/2-40CM	30
FI-55 176	de 1/2-50CM	30
FI-55 177	de 1/2-60CM	30
FI-56 639	de 1/2-80CM	30
FI-55 178	de 1/2-90CM	30
FI-56 640	de 1/2-100CM	30
FI-55 179	de 1/2-120CM	30
FI-55 180	de 1/2-150CM	30
FI-55 181	de 1/2-200CM	30



**Racord pentru apa izolat de 1/2-1/2 (Piulita+Piulita)**

Cod	Caracteristici	Buc./Bax
FI-55 092	30CM	200
FI-55 093	40CM	200
FI-55 094	50CM	200
FI-55 095	60CM	200
FI-55 096	80CM	200
FI-55 097	100CM	200
FI-55 098	120CM	200




**Racord apa izolat pentru baterie din bronz-2buc./set**

Cod	Caracteristici	Buc./Bax
FI-56 922	40CM	200
FI-56 923	50CM	200
FI-56 924	60CM	200



**Racord gaz metallic extensibil (P+N) de 1/2**

Cod	Caracteristici	Buc./Bax
FI-56 677	(220MMx440MM)	50
FI-56 678	(300MMx600MM)	50
FI-56 679	(350MMx700MM)	50
FI-56 680	(500MMx1000MM)	50
FI-56 681	(750MMx1500MM)	50
FI-56 682	(1000MMx2000MM)	50



**Racord gaz metallic izolat (Piulita+Piulita) de 1/2**

Cod	Caracteristici	Buc./Bax
FI-55 166	de 1/2-30CM	30
FI-55 167	de 1/2-40CM	30
FI-55 168	de 1/2-50CM	30
FI-55 169	de 1/2-60CM	30
FI-56 641	de 1/2-80CM	30
FI-55 170	de 1/2-90CM	30
FI-56 642	de 1/2-100CM	30
FI-55 171	de 1/2-120CM	30
FI-55 172	de 1/2-150CM	30
FI-55 173	de 1/2-200CM	30




**Racord apa metalic din bronz cu inox**

Cod	Caracteristici	Buc./Bax
FI-56 299	1/2-40CM-(FI)	300
FI-56 300	1/2-50CM-(FI)	300
FI-56 301	1/2-60CM-(FI)	300



**Racord gaz metallic (Niplu+Piulita) de 1/2**

Cod	Caracteristici	Buc./Bax
FI-55 142	de 1/2-30CM	30
FI-55 143	de 1/2-40CM	30
FI-55 144	de 1/2-50CM	30
FI-55 145	de 1/2-60CM	30
FI-55 146	de 1/2-90CM	30
FI-55 147	de 1/2-120CM	30
FI-55 148	de 1/2-150CM	30
FI-55 149	de 1/2-200CM	30




**Racord gaz metallic extensibil (P+P) de 1/2**

Cod	Caracteristici	Buc./Bax
FI-56 671	(220MMx440MM)	50
FI-56 672	(300MMx600MM)	50
FI-56 673	(350MMx700MM)	50
FI-56 674	(500MMx1000MM)	50
FI-56 675	(750MMx1500MM)	50
FI-56 676	(1000MMx2000MM)	50




**Racord gaz metallic extensibil (P+N)**

Cod	Caracteristici	Buc./Bax
FI-57 035	3/4-(300MMx450MM)	
FI-57 036	3/4-(500MMx650MM)	



**Racord gaz metalic izolat (Piulita+Piulita) de 3/4**

Cod	Caracteristici	Buc./Bax
FI-56 826	de 3/4-40CM	30
FI-56 827	de 3/4-50CM	30
FI-56 828	de 3/4-60CM	30
FI-56 829	de 3/4-80CM	30



**Racord gaz metalic izolat (Niplus+Piulita) de 3/4**

Cod	Caracteristici	Buc./Bax
FI-56 822	de 3/4-40CM	30
FI-56 823	de 3/4-50CM	30
FI-56 824	de 3/4-60CM	30
FI-56 825	de 3/4-80CM	30

